




# From Docks to Data: Driving Terminal Efficiency Through IT Innovation

Giovanni Migliaccio, Vice President Sales & Marketing



#### **About Solvo**



#### Who we are:

**SOLVO** is an international leading vendor of TOS, WMS and YMS solutions and systems integrator on the global markets.

We are a leading provider of high-end supply chain solutions to help and optimize the logistics and all cargo handling.

#### Our approach:

**Not just development and implementation**. We have the largest expertise in automating storage logistics and are ready to work on a turnkey basis, taking risks. We are a leading firm in providing quality and value to our customer.



<2>

#### **Business core areas**



# Solutions for ports and terminals

A leading Terminal Operating System for ports and terminals. An ultimate set of solutions for managing just any type of cargo: container, break bulk, Ro-Ro, general cargo, etc., including extra solutions as the VBS, AGMS, VGM.



#### **Solutions for managing yard**

YMS helps to manage all the operations at the yards, including allocation and storage of different types of cargo, housekeeping, reefer and empty containers management, CFS management etc. Providing procurement of gate-entry/cargo pick-up permits for truck-drivers, trucks and cargo forwarders/transport companies.



#### **Solutions for warehouse logistics**

One of the leading software providers of SCE software. Solutions range from WMS to WCS, Yard, Billing, KPI and more for all verticals: production, retail and distribution, 3PL and pharmaceuticals.




# Consultancy in logistics and system integration

Logistics and Management consultants, including specializations for Project Management, Optimization, Engineering, Design and Procurement.

As well as training, seminars, webinars and other educational events.

# Modern ports are moving to Extended Supply Chain


#### INTERNATIONAL TRADE SUMMARY



- Moving to Global Supply Chain
- Global Information Environment Connecting All the Elements of the Supply Chain
- End to End visibility to final customer



# Support of complex technological chains



#### Solvo.TOS overview

Solvo.TOS



Gate management



Yard management



Truck operations management



Screening zone management



CFS (stuffing/restuffing)



Vessel planning



Repair zone management



OCR-systems (Gate, crane, rail)



**Empty container** depot management



Berth planning



Rail operations management



Remote control of automatic equipment



Customs systems



Data capture terminals



CHE management



EDI



KPI



Web



Automatic reefer monitoring



Global positioning systems (DGPS, RTK, GNSS, RTLS)




External ERP systems



Crane systems STS,RTG/RMG, RTLS/DGPS

<6>


## **System Integration Levels**



- **1. Solvo.SCE Platform** based solutions (integration between Solvo products).
- **2. Integration** between Solvo solutions and external software.
- 3. Integration between different logistics facilities or participants of the Global Supply Chain

~//

# **Solvo.TOS Integration Opportunities**





Solvo.API (Application
Programming Interface) is
devided into two modules: EDI
(Electronic Data Interchange) for
receiving and transformation data
from external information
systems and Notifier for preparing
messages in the required format
for external information systems
when certain events occur.


System receives a document with a message from the port system — integration platform — transfer it to the EDI module in various formats, which are then converted into the format required for the **Solvo.TOS** database. As a result, the user receives all this information online.

<8>

# Cargo characteristics processed by Solvo.TOS







# Among cargo characteristics processed by Solvo.TOS:

Package type, weight, quantity, dimensions (length, width, height), marking (label), markers.

For each cargo type the system can have specific characteristics, for example, cars:

VIN number, color, mode, dimensions (length, width), weight, type.

<9>

#### **Interfaces for mobile devices**







- Acceptance of different types of cargo from vessel, truck and rail
- Registration of truck visits, vessel calls, train visits
- Registration of different yard operations
- Photo-fixation of damages,
   choosing the type of damage
   from the list, adding comments
- Scanning features
- Registration of internal operations (Inspection, Repairs, Customs operations)

<10>

# **Survey Mobile application**








The application is based on the AIAG international standard.

The application has flexible settings and according to the weather conditions of the surveyor: before starting the shift it is necessary to set such parameters as time of day, weather conditions and vehicle condition: soiled, clean, snow/ice covered.

The main screen is divided into 3 parts: in the left part we see the instructions for the surveyor, instructions can be created for individual types of vehicles, for different models of cars and for each brand of car. <11>

# Speeding up document flow processing




Information about the cargo is taken from documents uploaded in advance, such as bills of lading, bookings and service orders.

Further work on loading and unloading is based on the data obtained from these documents.

The system also allows to visualize statistical data and present them as graphs and charts.

<12>

## **Yard Management**




**WTM:** Graphic terminal layout viewer and editor is used to manage CHEs in the yard and plan routes. The port layout can be viewed and managed in real time allowing to establish a tree-like structure of terminal locations, groups and zone occupancy: Display, edit positions of terminal objects; Monitor the actual level of terminal occupancy in real time; Monitor CHEs and workers in real time; Plan loads and much more.

**Dynamic stacking based on rules and strategies** The core technology that the system uses to manage operations is automated work order generation based on predefined rules and strategies.

**Dock scheduling** The system also supports the automatic dock assignment function But before docks can be assigned, planning must be completed. For this purpose, Solvo has developed a graphical interface, visually user-friendly, with which the operator can conduct planning, using drag and drop, and simply move the icons with the booked timeslots, by that optimizing the work of the yard.

<13>

#### Realtime visibility — yard assets




The graphical terminal layout offers a real-time bird's eye view, yard section and yard block views and helps dispatchers monitor all terminal operations in real time and take immediate action if needed.


Occupied Occupied Occupied L017 Occupied CEU: 0 / 40 (0%) CEU: 0 / 40 (0%) CEU: 0 / 40 (0%) CEU: 23.4 / 4 0 / 2000 (0%) RL: 0 / 2000 (0%) RL: 0 / 2000 (0%) RL: 0 / 2000 (0%) Units: 0 Units: 0 Units: 0 Units: 0 Occupied Occupied Occupied Occupi CEU: 0 / 40 (0%) CEU: 0 / 40 (0%) CEU: 0 / 40 (0%) CEU: 0 / 40 RL: 0 / 2000 (0%) RL: 0 / 2000 (0%) RL: 0 / 2000 (0%) RL: 0 / 200 Units: 2 Units: 0 Units: 0 Units: 0 Units: Occupied Occupi Occupied Occupied CEU: 0 / 40 EU: 0 / 40 (0%) CEU: 0 / 40 (0%) CEU: 9.1 / 40 (22%) CEU: 29.1 / 40 (72%) CEU: 13 / 40 (32%) .: 378.7 / 2000 (18%) RL: 1209.7 / 2000 (60%) RL: 541 / 1938 (27%) RL: 0 / 200 0 / 2000 (0%) RL: 0 / 2000 (0%) Units: 0 Units: 0

This is especially effective whenever yard equipment units such as RTGs use GPS transmitters. In this case dispatchers can monitor all actions as they actually take place with no delay. The GUI is customizable with regard to displayed information and design

<14>

# **Personnel & Equipment productivity**







The dispatcher plan in advance and then controls the execution of the work-orders, using an interactive terminal map and data received in real time from RDT mounted on vehicles or held by tallymen.

Thanks to aggregating data and reports on employee productivity—either individually or for groups— the system provides visibility where terminals are allocating their labor budgets and help them to optimize human assets.


# Optimizing cargo operations in ports and railway terminals

#### TOS-guided tallyman's operation




- Guiding inspectors by TOS through step by step instructions to the tallyman's RDT.
- Tallyman confirmations of all actions using RDT.
- Tallyman's report of acceptance is generated along with the other docs automatically.

#### **Repair-zone management**



- TOS instructs: To place the container in a stack; Place the container in the repair zone;
- Forbid receiving of container.
- Exchange data with 3rd party software for repairs and technical inspection.

#### **RMG/RTG optimization**



- Automated task genaration for loading/unloading for RMG operators;
- Real-time monitoring of cranes using interactive port map.
- Supports optimization algorithms for onboard crane system integration, DGPSguided RMG operation, etc.

#### Rail planning and optimization



<16>

- Rail planning taking into account flatcar owner, destination station;
- Consider weight and IMO limitations, etc.; FIFO by waybill date, flatcar occupancy by weight.
- Provide block train management including train schedules generation and more.

# Implementation efficiency

#### **Client services**



**Enhanced customer-relationships** with online, real-time data access.



**Increase in labor productivity by 20-30%** 

The number of situations when staff cannot find goods in the warehouse is reduced to almost zero



Complete traceability with operator and CHE driver history logging

#### **Operating costs**



**CHE** optimization

with predefined routes and proven stacking strategies



The use of storage space is optimized

through the use of the right strategies for the placement of goods and the procedure of density and use of cells: the storage capacity is increased by 5 to 25%



Elimination of unproductive moves, bottlenecks and decrease in empty runs and stowage errors

#### Logistics



Maximum space utilization,

increasing from 5 to 20% (depending on area type)



Optimized and pre-defined cargo stacking strategies to reduce reshuffles and costly moves



**Locate any cargo** faster and with higher precision

<17>



# The solution is here!

Giovanni Migliaccio, Vice President Sales & Marketing